

200400164

#### THER CONTINED STANTES OF ANTERIOA

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

### Monsanto Çompanç

DUCCES, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITIORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR CONDITIONING IT PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR TENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN TED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 10 DED, 7 U.S.C. 2321 ET SEQ.)

WHEAT, COMMON

'Beretta'

In Testimony Macrest, I have hereunto set my hand and caused the seal of the Mant Unriety Artestion Office to be affixed at the City of Washington, D.C. this fourteenth day of June, in the year two thousand and four.

ambureman

Secretary of Agriculture

Atlast:

Pa m Zahn

Commissioner Plant Variety Protection Office Agricultural Marketing Service

			Reproduction of FORM - OMB NO. 0581-005
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE		The following statements are made in accor 1974 (5 U.S.C. 552a)	dance with the privacy Act of
SCIENCE DIVISION - PLANT VARIETY PROTECTION (	OFFICE	1974 S 0.3.C. 3324	
		Application is required in order to determin	. The AT
APPLICATION FOR PLANT VARIETY PROTECTION (Instructions and information collection burden statement on )		certificate is to be issued (7 U.S.C. 2421) In until certificate is issued (7 U.S.C. 2426).	nformation is held confidential
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
Monsanto Company		D99-5261	Beretta
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)		5. TELEPHONE (include area code)	FOR OPERCIAL USE ONLY
			2°0° 10°4° 0 0 1 0 4
800 N. Linbergh Blvd. Mail Zone:E3NA	1	314.694.6089	
Man Zone: ESIVA		6. FAX (include area code)	F DATE
			T.
Creve Coeur, Missouri 63167		24.4.60.4.50.50	1 Moreh 31,2004
<u> </u>		314.694.7250	G
7. GENUS AND SPECIES NAME	8. FAMILY NAME (Bo	(onical)	FILING AND EXAMINATION FEE:
Triticum aestivum	Gramineae		<u> </u>
9. CROP KIND NAME (common name)			S DATE
Soft Red Winter Wheat			3/31/2004
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGAN	IZATION (corporation, 1	partnership, association,etc.) (common name)	C S
Corporation			Y 432.60
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	D DATE , ,
Delaware		1933	5/04/2004
Delawate		1733	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO			14. TELEPHONE (include area code)
Ms. Sally Metz		r. Rollin Sears 515 Ascher Road	314.694.6089
800 N. Lindbergh Blvd. ANI Creve Coeur, Missouri 63167	7	inction City, Kansas 66441	15. FAX (include area code)
Creve Coeur, Missouri 65167	J	metion City, Kansas 00441	314.694.7250
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (follow)	w instructions on reverse,		
a. X Exhibit A. Origin and Breeding History of the Variety			
b. X Exhibit B. Statement of Distinctness			
c. X Exhibit C. Objective Description of the Variety			
d. X Exhibit D. Additional Description of the Variety			
e. X Exhibit E. Statement of the Basis of the Applicant's Own	•		
f. X Voucher Sample (2,500 viable untreated seeds, or, for tuber prope g. X Filing and Examination Fee (\$2,450), made payable to "	T		ibue repository)
g. X Filing and Examination Fee (\$2,450), made payable to "  17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD			Section 83(a) of the Plant Variety Protection Act)
X YES (if "yes", answer items 18 and 19 below)	DI VARGETI IGNIE	NO (if 'no", go to item 20)	
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMIT	ED AS TO NUMBER O	19. IF YES TO ITEM 18, WHICH CLASSES C	F PRODUCTION BEYOND BREEDERS SEED?
GENERATIONS?	NO	FOUNDATION REGIST	ERED CERTIFIED
YES	NO		
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN	Contract Con		U.S. OR OTHER COUNTRIES?
YES (if "YES", give names of countries and dates)	LX.	] NO	
21. The applicant(s) declare that a viable sample of basic seed of the variety will be furni applicable, or for a tuber propagated variety a tissue culture will be deposited in a put.			with such regulations as may be
The undersigned applicant(s) is(are) the owner(s) of this sexually reproduced or tuber			ble as required in
Section 41, and is entitled to protection under the provisions of Section 42 of the Plan			
Applicant(s) is(are) informed that false representation herein can jeopardize protection	n and result in penalties.		
SIGNATURE OF APPLICANT (Owner(5))		SIGNATURE OF APPLICANT (Own	er{s})
NAME (Please print or type)		NAME (Please print or type)	
Sally Metz	· ·	, , , , , , , , , , , , , , , , , , ,	
CAPACITY OR TITLE DATE  Director Wheat Technology	1-28-04	CAPACITY OR TITLE	DATE

## Exhibit A. Origin and Breeding History of Beretta

The single cross that produced Beretta (aka. D99-5261) "91M\*1365/T814" was made in the 1993 spring greenhouse at Brookston, IN. The pedigree 'T814' is the cross between "McNair 1003/Caldwell" and is a Trio Seeds line that was in the 1992-1993 Uniform Eastern Nursery (Entry #10). The pedigree '91M\*136' is the cross "Auburn/SW75\*589-9#1//SW76-118C113; Auburn is a Purdue release, SW75\*589-9#1 and SW76-118C113 were old Agripro breeding lines of the same composite cross that produced the Agripro variety 'Lincoln' (please see following page for more information on these lines). The F1 seeds were planted in a field near Jonesboro, AR, the following fall. Seeds harvested from this F1 row were grown in a 1994-95 F2 bulk plot near Cleveland, MS. A portion of the harvested F2 bulk plot was space-planted in a 1995-96 F3 bulk plot near Jonesboro, AR. A portion of the harvested F3 bulk plot was thin-seeded in a 1996-97 F4 bulk plot near Marion, AR. Heads were selected from this F4 bulk population and grown as F5, Pre-Y1 head-rows in a field near Jonesboro, AR in 1997-98. The head-row selection that became Beretta (D99-5261) was selected for good disease resistance and other desirable agronomic traits. The F6 generation was grown in Observation plots near Jonesboro, AR and Cleveland, MS in 1998-99. Beretta has been in advanced testing from 2000 to the present and was tested as AW D99-5261 in the 2002-2003 Uniform Southern Soft Wheat Nursery (entry #20). Beretta was also tested in Arkansas's and North Carolina's official wheat trials in 2002-03.

In 2001, 100 purification headrows were grown near Jonesboro, Arkansas, from heads selected from an F7 plot. Sixty-two of the seventy-eight rows that were judged "true-to-type" were bulk-harvested and shipped to Colorado for initial Breeders Seed Increase. In 2002 a 0.2 acre initial Breeders seed increase was grown in Berthoud, Colorado. In 2003, a 27 acre Breeders seed increase was grown in Yuma, Arizona which produced 167,600 pounds of Breeders seed and a 4.9 acre Breeders seed increase was grown in Lucerne, Colorado to produce 13,622 pounds of Breeder's seed.

Beretta has been uniform and stable since 2002. Less than 0.8% of the total plants were rogued from either the initial Breeders Seed increase in 2002 or the Breeders Seed field in 2003. Approximately 75% the variant plants were taller height wheat plants, 5% were shorter height wheat plants and approximately 10% the variant plants were awned wheat plants. Up to 1.0% variant plants may be encountered in subsequent generations.

SW78-171SW78-171Beretta 91M\*1365 / T814 (Auburn/SW75\*589-9#1//SW76-118C113) / (McNair1003/Caldwell) (Auburn//NSRW35-75/N5-74/3/SW76-118C113) / (McNair1003/Caldwell)

SW75\*589-9#1 = reselection from 1975 NAPB breeding line

NSRW35-75 = 1975 NAPB breeding line (no further information)N5-74 = 1974 NAPB breeding line (no further information)

SW76-118C113 = 1976 NAPB breeding line from composite cross(no further information)

## Exhibit B. Statement of Distinctness

Beretta is most similar to the soft red winter wheat 'Savage'. However, it can be easily distinguished by the following morphological characteristics:

- Beretta has a blue-green plant color at boot stage (R.H.S. Chart color number #122B; Berthoud, CO 2001 and Lucerne, CO 2002). Savage has a green plant color at boot stage (R.H.S. Chart color number #137B; Berthoud, CO 2001 and Lucerne, CO 2002).
- Beretta has an erect flag leaf at boot stage (Berthoud, CO 2001 and Lucerne, CO 2002). Savage has a recurved flag leaf at boot stage (Berthoud, CO 2001 and Lucerne, CO 2002).
- Beretta has a wide glume width at maturity (Berthoud, CO 2001 and Lucerne, CO 2002). Savage has a medium glume width at maturity (Berthoud, CO 2001 and Lucerne, CO 2002).

EXHIBIT C (Wheat)

## U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION BELTSVILLE, MARYLAND 20705

#### **OBJECTIVE DESCRIPTION OF VARIETY**

	WHEAT (Triticum Spp.)			
NAME OF APPLICANT(S)		FOR OFFIC	CIAL USE ONLY	
Monsanto Company		PVPO NUMBER	04001	64
ADDRESS (Street and No. or R.F.D. No., City, State, and 800 N. Linbergh Blvd. Creve Coeur, MO 63167	d Zip Code)	NAME OR EXPERI DESIGNATION Beretta	MENTAL	
Place the appropriate number that describes the varietal character of the Place a zero in the first box when number is either 99 or less or 9 or less minimum of 100 plants. Comparative data should be determined from standard may be used to determine plant colors; designate system used Please answer all questions for your variety; lack of response may dela	ess respectively. Data for quantitativen varieties entered in the same trial.  I.			
1. KIND:  1   1=Common   2=Durum   3=Club	4=Other (specify)			
2. VERNALIZATION:				
2 1=Spring 2=Winter 3=Other (specif	fy)			
3. COLEOPTILE ANTHOCYANIN:				
1=Absent 2=Present				
4. JUVENILE PLANT GROWTH:				
2 1=Prostrate 2=Semi-erect 3=Erect				
5. PLANT COLOR (boot stage):		• • • •		
3 = Yellow-Green 2 = Green 3 = Bh	ue-Green			
6. FLAG LEAF (boot stage):				
$1 = \text{Erect} \qquad 2 = \text{Recurved}$				
2 = Twisted 2 = Twisted				
7. EAR EMERGENCE:				
0 0 Number of Days Earlier Than			*	
0 2 Number of Days Later Than	NK Coker 9663		*	
8. ANTHER COLOR:				
1 = YELLOW 2 = PURPLE				
9. PLANT HEIGHT (from soil to top of head, excluding of	awns):			
0 0 cm Taller Than			*	
1 1 cm Shorter Than	NK Coker 9663		*	

<sup>\*</sup> Relative to a PVPO-Apprved Commercial Variety Grown in the Same Trial

Exhibit C (Wheat) Page 2 Beretta	- C C - C C - C - C - C - C - C - C - C
10. STEM: A. ANTHOCYANIN	
1 l= Absent 2=Present	
B. WAXY BLOOM	
2 1=Absent 2=Present	
C. HAIRINESS (last internode of rachis)	
2 1=Absent 2=Present	
D. INTERNODE (specify number)	
1 1=Hollow 2=Semi-solid 3=Solid	
E. PEDUNCLE	
2 1=Erect 2=Recurved	
1 0 cm Length	
11. HEAD (at Maturity): A. DENSITY	
2 1=Lax 2=Middense 3= Dense	
B. SHAPE	
1 = Tapering 2= Strap 3 = Clavate 4 = Other (specify)	
C. CURVATURE	
$1 = \text{Erect} \qquad 2 = \text{Inclined} \qquad 3 = \text{Recurved}$	
D. AWNEDNESS	
2 1 = Awnless 2 = Apically Awnletted 3 = Awnletted 4 = Awned	
12. GLUMES (at Maturity): A. COLOR	
A. COLOR  1	
B. SHOULDER	
1 = Wanting $2 = Oblique$ $3 = Rounded$ $4 = Square$ $5 = Elevated$	d 6 = Apiculate
C. BEAK	
1 = Obtuse $2 = Acute$ $3 = Acuminate$	
D. LENGTH	
1 = Short (ca. 7mm) 2 = Medium (ca. 8mm) 3 = Long (ca. 9mm)	
E. WIDTH	
3 1 = Narrow (ca. 3mm) 2 = Medium (ca. 3.5mm) 3 = Wide (ca. 4mm)	
13. SEED:	
A. SHAPE	
1 = Ovate 2 = Oval 3 = Elliptical	
B. CHEEK	
1 1=Rounded 2=Angular	
C. BRUSH	
2 1=Short 2=Medium 3=Long	
1 = Not Collared 2 = Collared	
D. CREASE	
1 = Width 60% or less of Kernel	
2 = Width Nearly as Wide as Vernel 2 = Depth 50% or 3 = Depth 50% or	

	D: (continued) COLOR	
3	1 = White $2 = $ Amber $3 = $ Red	4 = Other (specify)
_	TEXTURE	
2	1=Hard 2=Soft PHENOL REACTION (see instructions):	
<b>[0</b> ]		A Doub Brown 5 - Block
14. DISE PLEASE IN	ASE: (0=Not Tested; 1=Susceptible; DICATE THE SPECIFIC RACE OR STRAIN TESTED	2=Resistant; 3=Intermediate; 4=Tolerant)
0	Stem Rust (Puccinia graminis f. sp. tritici) Field races	Leaf Rust (Puccinia recondita f. sp. tritici) Field races
4	Stripe Rust (Puccinia striiformis)	1 Loose Smut (Ustilago tritici)
0	Tan Spot (Pyrenophora tritici-repentis)	Flag Smut (Urocystis agropyri)
0	Halo Spot (Selenophoma donacis)	Common Bunt (Tilletia tritici or T. laevis)
0	Septoria nodorum (Glume Blotch)	Dwarf Bunt (Tilletia controversa)
0	Septoria avenae (Speckled Leaf Disease)	Karnal Bunt (Tilletia indica)
0	Septoria tritici (Speckled Leaf Blotch) Field races	Powdery Mildew (Erysiphe graminis f. sp. tritici) Field races
0	Scab (Fusarium spp.)	0 Snow Molds
0	Black Point (Kernel Smudge)	Common Root Rot (Fusarium, Cochliobolus and Bipolaris spp.)
0	Barley Yellow Dwarf Virus (BYDV)	Rhizoctonia Root Rot (Rhizoctonia solani)
0	Soilborne Mosaic Virus (SBMV) Field races	Black Chaff (Xanthomonas campestris pv. translucens)
0	Wheat Yellow (Spindle Streak) Mosaic Virus Field races	Bacterial Leaf Blight (Pseudomonas syringae pv. syringae)
0	Wheat Streak Mosaic Virus (WSMV) Field races	Other (specify)
	Other (specify)	Other (specify)
	Other (specify)	Other (specify)
	Other (specify)	Other (specify)

] ]	Hessian Fly (Mayetiola destructor)		Other (specify)	_
	Stem Sawfly (Cephus spp.)		Other (specify)	_
	Cereal Leaf Beetle (Oulema melanopa)		Other (specify)	_
	Russian Aphid (Diuraphis noxia)		Other (specify)	-
	Greenbug (Schizaphis graminum)		Other (specify)	_
	Aphids			_
				<u>.</u>
\D	DITIONAL INFORMATION ON ANY ITEM	ABOVE, OR GEN	IERAL COMMENTS:	

### Exhibit D. Additional Description of Beretta

Beretta is a soft red winter wheat bred and developed by Agripro Wheat. Beretta is medium-short height wheat with mid-season maturity and strong straw strength. Beretta has shown tolerance to the current prevalent races of leaf rust and stripe rust. Beretta has shown intermediate resistance to the southeastern races of powdery mildew.

Juvenile growth habit is semierect. Plant color is blue-green at boot stage. The flag leaf is erect and twisted. Anther color is yellow. Auricle anthocyanin and auricle hairs are present. Waxy bloom is present on the stem, flag leaf sheath and head. The head is tapering, middense and apically awnletted. The glume at maturity is medium in length and wide in width. Shoulder shape on the glume is square with and obtuse beak. Seed shape is ovate. Brush hair length is medium and occupies a large area of the seed tip. Seed cheeks are rounded. Seed crease width is narrow and depth is shallow.

Beretta appears to be primarily adapted to Arkansas and the northern half of Mississippi. Beretta's area of secondary adaptation will likely include extreme northern Louisiana, western Tennessee and Kentucky, southeastern Missouri, northern Alabama, southern Illinois and the southern tip of Indiana, and western North Carolina.

#### AgriPro Wheat

#### SOFT WHEAT QUALITY SUMMARY

		Milli	ng		Baki	ng Quality		
Year LabNo	Loc-Code	Brk Flr %	Tot Fir % B	Wht Prot 14%mb ERETTA	Fir Prot 14%m	C.Diam mm		Norris Hard
2002 7180	SM-96210	42.8	69.1	10.0	8.3	18.9	5	0
2002 7042	DA-96210	43.5	70.1	8.7	7.4	19.2	4	-4
2001 7212	DA-96511	48.9	69.8	8.3	6.8	19.0	2	6
2001 7075	SM-96511	45.9	71.1	10.0	8.5	19.2	2	14
	Average	45.3	70.0	9.3	7.8	19.1	3	4
			A	GS 2000				
2002 7171	SM-96201	40.7	68.7	10.1	8.9	19.2	3	1
.2002 7033	DA-96201	41.9	71.1	10.1	8.5	19.4	3	5
2001 7202	DA-96501			8.7				12
2001 7065	SM-96501			10.8				20
	Average	41.3	69.9	9.9	8.7	19.3	3	10

TG=Cookie Top Grain

Ratings: 1=Excellent 9=Unacceptable

	*		340		_					_	_										
	200		Mendia	₹ ;	'n	ŭ	5 5	¥ 5	7 5	4	54										
	2003	,	Hillsbord	₹ ;	98	βĀ	ě	5 6	5 9	00	92										
	2003	:	Hopkinsville	ĕ¦	8/	Ģ.	18	: &	4 6	ò	79	2000	Maithwe	9	19	2.5				72	
	2003		illus -	ۇ ي	8	73	. 6	2 5	3 5	>	92	2000	Sharen	ř	. S.	42	!			51	
	2003		Charleston	2 8	8	82	8	9 8	2	ŏ	85	2000	Jonesboro-Moh	Q	. 2	74				82	
	2003		Cyctsum	<u> </u>	S		73	75	2 2	5	99	2000	Janeshora-rea	- 29	52	2				22	
	2003	Denza Libbarra		£ 6	20	22	65	97	; ç	3	SS	2000	Marlon-sand	Δ.	84	8			-	73	
	2003	Jonathan	o Consideration	£ 7	=	26	99	67	£	2	8	2000	DeWitt	48	89	5				5	
	2003	Manage	Q	į į	В	9	22	6	· 6	3.	92	2000	Cleveland	NS	ස	Š				09	
	2003	HallyServe	g	f		99	74	67	7	- ;	72	2000	LakeProv.	3	/3	62				65	
	2003	DAMS	84	í	3	99	74	11	8	3	78	2001	Matthews	9	11	78	8			78	
	2003	Cleveband	Š	5	2	82	g	69	99	3	94	2001	J'bare-HMgm	Ą	9/	86	8			76	
	2003	Greenale	ý.	07	) i	87	96	88	693	)	88	2081	Jonesboro	S.	74	80	22			7	
	2003	LenoirCo		ů.	3 1	20	65		83	3 1	80	2001	Fisher-Rice	Ą	8	8	8			8	
	2003	Stuffe - Filliam	, ¥	r L	3	96	101	92	89	;	6	. 1002	Marian (clay)	AR	76	89	7			66	
	2003	Levisville	A.	ō,	) t	ç Ç	S S	62	89	:	D C	2001	Marian(loam)	AR	23	22	S			69	
	2003	Stutgart	Æ	Ö	2 6	98	8	62	88		88	2001	Devoit	Υ.	72	83	72			63	
	2003	Romogr	H.	79	. (	99	<u>@</u>	73	75	ţ	ò Q	1000	Cleveland	SW	9/	88	20			73	
	2003	Marialma	G.	67		Y	74	75	99	F	5	2002	Charleston	OW	99		හි	2		64	
	2003	Kibler	Ą	76	į	g	2	67	22	ţ	g	2002	Dyersburg	Z	72		74	74		29	
5	2003	Ft. Branch	z	75	7	Ξ	28			<	20	2002	Jose-Hisgant	ΑR	84	•	74	දිද		20	
(bu/ac)	2063	Knowille	2	63	,	٥	98			1	?	2002	Jonesbord	Æ	98		84	. 29		83	
Yield data for BERETTA (bu/ac)	2003	Cleveland	SH	78	2	D O	85			7	<del>d</del>	2002	Marion (clay)	¥	7		28	25		28	
lata for B	2003	Stuttgart	S.	94	u o	8	98			8	3	2002	(meg),uppe	Ą	21		એ	48		47	
Yield											8		-					75			
<b>.</b>	2003	Şağı Bağı	AR	22	1	ò	67			ç	20	2002	Cleveland	¥	क		74	99		છ	
Adapted Area		-		BERETTA	0000	2008	AGS 2000	NATCHEZ			I IIZI Mean		٠.				_	NATCHEZ		Trial Mean	

	2000-2003					
Yield .	Yield Arkansas					
Average	m					
77	BERETTA	78	11	74	92	BERETTA
	CK 9663	7				CK 9663
	AGS 2000		72			AGS 2000
	NATCHEZ			29		NATCHEZ
	SAVAGE				2	SAVAGE
7.1	Trial Mean	72	71	69	72	Trial Mean
19	No. Trials	24	19	16	£	

BERETTA 80 76 76 86 86 86 86 86 80 80 80 80 80 80 80 80 80 80 80 80 80	Yield	Yield Missouri					
Section   Sect	Average						
\$5 2000 79 77 77 82 82 82 82 83 84 85 85 85 85 85 85 85 85 85 85 85 85 85		SERETTA	8	92	92	86	BERETTA
25 2000 79 77 WAGE 76 75 74 85 A Triale 3 3 2 1 Ississippi Ississippi 77 76 76 84 80 WHETA 77 76 76 84 80 WHETA 77 77 78 80 WHETA 77 78 WHETA 78 WH	_	CK 9863	78				CK 9863
VICHEZ         77         82           WAGE         76         75         74         85           Liffels         3         3         2         1           ississippi         77         76         76         84           6 9663         77         76         84         84           K 9663         67         77         74         80           VVAGE         72         74         80           VVAGE         73         72         76           AVAGE         73         72         76           AVAGE         5         5         3         2           AVAGE         5         5         3         2	-	4GS 2000		79			AGS 2000
WAGE WAGE WAGE WAGE WAGE WAGE WAGE WAGE	_	NATCHEZ			77		NATCHEZ
Section   18   15   14   85   15   15   15   15   15   15   15		SAVAGE				82	SAVAGE
Ississippi	•	Trial Mean	78	75	74	82	Trial Mean
ssissippi 1	-	No. Trials	3	ო	2	-	
77 76 76 84 67 77 74 80 72 73 72 76 76 76 85 3 2	≌ .	13 Mississippi					
77 76 76 84 67 68 76 84 80 72 73 72 76 85 8 2	••						
67 77 74 80 72 76 5 5 5 3 2		BEREITA	77	76	9/	84	BERETTA
77 74 80 72 73 72 76 5 5 3 2		CK 9663	67				CK 9663
74 80 72 73 72 76 5 5 3 2		AGS 2000		11			AGS 2000
80 72 73 72 76 5 5 3 2		NATCHEZ			74		NATCHEZ
72 73 72 76 5 5 3 2		SAVAGE				8	SAVAGE
5 5 3	. 1	Trial Mean	72	73	72	76	Ttel Mean
	1	No. Trials	ທ	2	က	7	

Yield Yield Average.	> Adapted area data	rea data					
11	BERETTA	22	9/	75	75	BERETTA	
	CK 9663	69				CK 9863	
	AGS 2000		33			AGS 2000	
	NATCHEZ			72		NATCHEZ	
	SAVAGE				7	SAVAGE	
72	Trial Mean	72.	7	22	71	Trial Mean	
56	No. Trials	26	42	9	20	Trial Mean	
2000-2003	1 . '						
Yield	Tennessee	m					
Average							
99	BERETTA	63	69	89	99	BERETTA	
	CK 9663	8				CK 9663	
	AGS 2000		75			AGS 2000	
	NATCHEZ			72		NATCHEZ	
	SAVAGE				6	SAVAGE	
64	Trial Mean	62	88	67	99	Tria! Mean	
4	No. Trials	69	3	2	-		

# **BERETTA Agronomy**

•													SM	195	68	94			107	. 94	9	8										
-													E	86	100	107			103	107	104	107										
									•				S	8 18	100	66			109	66	26	66										
	. 0			_					_			õ		t	#	#			#	#	#	#										
	80	1		-			7		110				SS	£	95	90	94	8	8	8	8	8					•					
	3	`	10,				11		#				DA	103	99	91	94	91	104	9	91	9							_			
	ន	ę.	92	5			102	101	102	5		.01	ဗ္ဗ	5 5	93	98	હ	94	103	94	93	94										
Ş		8		92			6		89	95			S	5	9	98	93	86	100	88	92	88										
ζ	5 <b>8</b>	110	100	109	107	109	50	109	103	109			JAJH	102	92	84	92	84	100	84	83	84										
£	Ą	116	113	119	113	119	119	119	117	119		,05	ρĄ	103	94	90	97	06	97	8	93	8	•									
	Ą	108	106	7	108	Ę	#	11	7	111		NSN	æ	98	82	80										•						
Š		<u>6</u>	106	113	<del>7</del>	13	112	113	<u></u>	113	٠	NSN	ST	97	84	84					٠											
Ž.	Š <b>\$</b>	Ξ	108	133				-				NSN	DA	111	100	66															•	
NO.	<b>5 5</b>	112	109	11				-				USN	SS	102	90	88								TQ.	-	-	-		-	4	_	_
88	<u> </u>	109	108	<del>"</del>									SM	111	86	96	103	96	107	96	86	96		M.	-	_	<del>.</del>			<del>-</del>	<del></del>	C4
	S	120	118	121	10	121	121	121	113	121			DA	109	100	26	102	26	112	26	97	26		Ą	-	~	<b>~</b>			-	_	_
.03	8 8	£	109	112	107	112	110	112	109	112		.03	SS	103	35	06	91	90	66	8	87	06	00,	ŝ	4	N	_			~	<u>_</u>	8
AR	E E	106	105	110	106	110	110	110	106	110		AR	ĽΜ	88	98	74	84	74	84	74	71	74		TO.	2	က	<del>~</del>	2	· <del>-</del>	4	<del></del>	23
AR.	ST	110	106	11	108	7	109	7	108	11		AR /	SH	66	83		8	84	94	84	84	84	,01	MA	۳-	2	8	80	EX	гO	7	4
A		<u>=</u>	410	113	10	£.	113 ,	113	110	113	•	AR /	ST	26	68		98	84		84		84	.02	4	4	ဗ	_	7	_	61	<b>~~</b>	<b></b> -
A.		106	105	110	106	110	110	110 1	109	110		AR A	RW	104	94		94	91				91		DA	9	. 2	<del>-</del>					
103 AR		11	108 1	113 1	108 1	113 1	112 1	113	111	113		AR A	MR	91	84		98	8				2	.03	폭	ဆ	80	4	မွ	4	. 6	4	80
															~	~	•		0,	~	•	_	-									
HEADING	AVG	108.3	105.9	110.6	109.3	112.8	110.6	110.3	109.0	110.3	.03	AR	ΚB	97	83	84	86	84	66	84	89	84		ρĄ	7	φ	_	9	<b>-</b>	7	-	က
· I	٠.											_	(1)	9	**	C1	ıc	ın	9	_					i		٠					
•												E	AVG	101.6	92.4	90.2	92.5	88.5	100.6	90.7	89.7	90.7										
TW (nq/sql)	AVG	57.1	57.3	92.0	56.2	56.6	56.6	97.0	58.2	57.0	Height	(in.)	AVG	40.0	36.4	35.5	36.4	34.8	39.6	35.7	35.3	35.7	Lodging	AVG	3.5	2.9	4.	4.6	4.8	3.5	1.5	2.6
	▼		ιΩ	Ŋ	ıō	ญั	Ŋ	52	ίÕ	Ú	Ĭ	_	,		რ	ന്	რ	ď	ന്	ന്	n i	ෆ් ·	Ļ	₹		·V	-	4	~-	v)		
	ا ِ	COKER 9663	8	ΙŽ	24	Σ	EZ	₹	ш	¥				COKER 9663	8	۲	24	≰	EZ	≰ .	LL I	₹		•	COKER 9663	8	ĭ	24	₹	EZ	Σ	ш
	VARIETY	KER	AGS 2000	BERETTA	Pio 26R24	BERETTA	NATCHEZ	BERETTA	SAVAGE	BERETTA				УKER	AGS 2000	BERETTA	Pio 26R24	BERETTA	NATCHEZ	BERETTA	SAVAGE	BERETTA			KER	AGS 2000	BERETTA	Pio 26R24	BERETTA	NATCHEZ	BERETTA	SAVAGE
-	8	ဗ	¥G	H	P 6	H	₹	띪	S	BE				ဗ	AG.	BE	P	S	Ž	H .	₹S	8 T			ပ္ပ	AG	BE	Pic	띪	Ž	H	S

# **BERETTA Pathology**

	Powdery							. Le	Leaf					-				Stripe			٠.	
	Mildew	'03			,02		101	₫.	Rust	03		ي	,02				8	Rust	503		-	,02
VARIETY	AVG	χç	χ	٧A	KC KC VA KC TG	5	5	All	AVG	35	Α	A D	Ā	GS DA MA DA MA JA		DT SM MA	MA	AVG	SS	ဗ္ဗ	Α	ΡΑ
COKER 9663	5.9	5	5	5	7	7	7	4.0	0	2	5	5 5	2	9	4	4	9	4.5	4	4	9	4
AGS 2000	1 9	_	<del>-</del>	0	ιΩ	<del></del>	ဗ	7.	1.7	_	,	_	Ø	2	2	4	<del>-</del>	5.5	5	ဖ	9	വ
BERETTA	4.5	4	5	N,	Ŋ	ဖ	S,	2.7		<del>-</del>	2	(*)	 Ω	0	n	ſΩ	~	2.8	C/I	က	· 69	က
Pio 26R24	4.2	. 01			12	တ		2.9	6	<del></del>	<u>ພ</u> ຕ	9	-	~	4	9		5.3	ო	9		2
BERETTA	5.1	4			ເນ	ဖ		2.8	80	·-	O.	(·)	. 2	C)	n	ß		2.8	. 4	က	ო	က
NATCHEZ	4.6	က	1		9	9	4	<b>+</b> i	1.4	<del>,</del>	2	_	2	<del></del>	7	Ξ.	8	1.5	•	<del></del>	2	8
BERETTA	5.0	4			Ŋ	ဖ	2	.2	2.7	-	7	-	61	2	ന	5	2	2.8	7	. က	(1)	e
SAVAGE	4.0	4						2.9	6	<del>-</del>	m	9	~	n	Ŋ	ന	m	2.5	8	က	60	2
BERETTA	4.0	4						2	2.7		7	<b>4</b> ω		7	Ç	5	7	2.8	2	က	65	m
							•	= Best, 9 = worst	il 6	ŌĂ	şţ											

Ø
⊆
0
==
ਲ
=
9
ᆽ
_
_
_
=
uo/
ion/
tion /
ation/
텵
텵

	KC = NCSU, Kinston, NC	TG = UGA, Tifton, GA	VA = FFR, Providence Forge, VA	HN = Haubstadt, IN	CI = Carmi, IL	GH = Greenhouse	BA = Syngenta, Bay, AR	ST = UofA Stuttgart, AR	KB = UofA Kibler, AR	MR = UofA Marianna, AR	RW = UofA Rohwer, AR	SH = UofA Stuttgart, AR High Mgmt	LW = UofA Lewisville, AR	LN = NCSU Lenoir County, NC	
Focation Cibil Cristians	GS = TNS, Greenville, MS	CS = Cleveland, MS	DA = DeWitt, AR	HA = Holly Grove, AR	CR = Fisher, AR (behind Rice)	MA = Marion, AR (fine silt loam)	MC = Marion, AR (heavy clay soil)	JA = Jonesboro, AR	JH = Jonesboro, AR (high mgmnt)	DT = Dyersburg, TN	SM = Charleston, MO	(or Matthews in '01-'00)			

## Exhibit E. Statement of the Basis of Applicant's Ownership

The variety for which Plant Variety Protection is hereby sought was developed by J. Barton Fogleman, an employee of Agripro Wheat. By agreement between employees and Agripro Wheat all rights to any invention, discovery, or development made by the employee while employed by Agripro Wheat, were assigned to Agripro Wheat, with no rights of any kind pertaining to 'Beretta' being retained by the employees.

By contractual agreement the variety 'Beretta' was purchased from Agripro Wheat, a business unit of Advanta USA, Inc. in June of 1996 and is currently owned by Monsanto Company.